



NTN Bearing Driveshaft do Brasil

NTN UELFU207-107D1 Flange Block Bearings



Bearing No. UELFU207-107D1

UELFU207-107D1 Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	4.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	1.82
EAN	4547359505030
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Eccentric Collar
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	7/16 Inch
Relubricatable	Yes
Insert Part Number	UEL207-107D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Square Flange Block; 1-7/16" Bore; 5.1" Bolt Circle; 3-5/8" Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 2.012" Length Thru Bore; Relubricat
Other Features	Single Row Light Duty



NTN Bearing Driveshaft do Brasil

	Wide Inner Race Has Flinger With Set Screw
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UELFU207-107D1
Weight / LBS	4
Bolt Spacing	3.625 Inch 92.08 Millimeter
d	1.438 Inch 36.525 Millimeter
Nominal Bolt Circle Diameter Round	5.1 Inch 130 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
D	2.012 Inch 51.1 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
bore diameter:	1.4375 in
radial dynamic load capacity:	5750 lb
bolt center-to-center length:	3.6250 in
radial static load capacity:	3440 lb
overall length/diameter:	4.6563 in
seal type:	Contact with Flinger
bore type:	Round
length through bore:	2-3/32 in
duty type:	Light Duty
finish/coating:	Uncoated
mounting type:	Four-Bolt Flange
lubrication type:	Lubrication Fitting
housing material:	Cast Iron



NTN Bearing Driveshaft do Brasil

series:	UELFU2
locking device:	Eccentric Collar
standards met:	ISO, AFBMA
expansion type:	Non-Expansion Bearing (Fixed)
replacement bearing:	UEL207-107D1